

FIG.1




FIG.2

ECAM FOR PACKET DATA SERVICE

| FIELD | LENGTH (BITS) |
|-------------|---------------|
| ASSIGN_MODE | 3 |
| RESERVED_2 | 5 |
| FREQ_INCL | 1 |
| BAND_CLASS | 0 OR 5 |
| CDMA_FREQ | 0 OR 11 |

...

| | |
|------------|---|
| NUM_PILOTS | 3 |
|------------|---|

...

NUM_PILOTS PLUS ONE OCCURRENCE OF THE FOLLOWING RECORD:
 { (NUM_PILOTS)

| | |
|----------|---|
| PILOT_PN | 9 |
|----------|---|

...

| | |
|----------------|--------|
| FOR_PDCH_INCL | 0 OR 1 |
| WALSH_TABLE_ID | 0 OR 3 |
| NUM_PDCCH | 0 OR 3 |

NUM_PDCCH + 1 OCCURRENCES OF THE FOLLOWING RECORD:
 { (NUM_PDCCH + 1)

| | |
|-----------------|--------|
| FOR_PDCCH_WALSH | 0 OR 6 |
|-----------------|--------|

} (NUM_PDCCH + 1)

| | |
|------------------|---------|
| MAC_ID | 0 OR 8 |
| REV_CQICH_COVER | 0 OR 3 |
| FOR_CPCCH_WALSH | 0 OR 7 |
| FOR_CPCSCH | 0 OR 5 |
| PWR_COMB_IND | 1 |
| PDCH_GROUP_IND | 0 OR 1 |
| CODE_CHAN_FCH | 0 OR 11 |
| QOF_MASK_ID_FCH | 0 OR 2 |
| CODE_CHAN_DCCH | 0 OR 11 |
| QOF_MASK_ID_DCCH | 0 OR 2 |

} (NUM_PILOTS)

| | |
|----------|-----------------|
| RESERVED | 0-7 (AS NEEDED) |
|----------|-----------------|

FIG.3

| ORIGINATION MESSAGE | |
|---------------------------------------------|---------------|
| FIELD | LENGTH (BITS) |
| ... | |
| SPECIAL_SERVICE | 1 |
| SERVICE_OPTION | 0 OR 16 |
| ... | |
| FOR_PDCH_SUPPORTED | 0 OR 1 |
| FOR_PDCH CAPABILITY TYPE-SPECIFIC FIELDS | 0 OR VARIABLE |
| EXT_CH_IND | 0 OR 5 |
| BCS_ID | 0 OR 32 |

FIG.4

ECAM FOR BROADCASTING SERVICE

| FIELD | LENGTH (BITS) |
|-------------|---------------|
| ASSIGN_MODE | 3 |
| RESERVED_2 | 5 |
| FREQ_INCL | 1 |
| BAND_CLASS | 0 OR 5 |
| CDMA_FREQ | 0 OR 11 |

...

| | |
|------------|---|
| NUM_PILOTS | 3 |
|------------|---|

...

NUM_PILOTS PLUS ONE OCCURRENCE OF THE FOLLOWING RECORD:
 { (NUM_PILOTS)

| | |
|----------|---|
| PILOT_PN | 9 |
|----------|---|

...

| | |
|----------------|--------|
| FOR_PDCH_INCL | 0 OR 1 |
| WALSH_TABLE_ID | 0 OR 3 |
| NUM_PDCCH | 0 OR 3 |

NUM_PDCCH + 1 OCCURRENCES OF THE FOLLOWING RECORD:
 { (NUM_PDCCH + 1)

| | |
|-------------------|--------|
| FOR_PDCCH_WALSH | 0 OR 6 |
| } (NUM_PDCCH + 1) | |

| | |
|---------------------------|--------|
| FOR BROADCAST_MAC_ID_INCL | 0 OR 1 |
| BROADCAST_MAC_ID | 0 OR 8 |
| MAC_ID | 0 OR 8 |

...

} (NUM_PILOTS)

| | |
|----------|-----------------|
| RESERVED | 0-7 (AS NEEDED) |
|----------|-----------------|

FIG.5




FIG.6




FIG.7




FIG.8




FIG.9